

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	169835	"73"/.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 09:18
S2	1455	73/596-660.ccls. and (turbine or disk or disc)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:06
S3	232	73/596-660.ccls. and (turbine or disk or disc) with (openings or holes or pinholes or aperture or bore)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:23
S4	48	"6370956" "6401537" "6487909" "5189915" "4441369" "6082198" "5618994"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:23
S5	27	73/596-660.ccls. and (radial or radius) with (right or ninety or "90") near3 (degree or angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:35
S6	200	73/596-660.ccls. and (turbine or disk or disc) and (right or ninety or "90") near3 (degree or angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:37
S7	22	73/596-660.ccls. and (turbine or disk or disc).ab,ti. and (right or ninety or "90") near3 (degree or angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:45
S8	6	73/596-660.ccls. and radial near5 (right or ninety or "90") near3 (degree or angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:48
S9	12	73/596-660.ccls. and turbine.ab,ti. and (probe or transmitter or transducer) near4 (hole or pinhole or opening)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:53
S10	55	73/596-660.ccls. and (probe or transmitter or transducer) near3 mount\$3 near4 (hole or pinhole or opening)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 11:59
S11	120	(73/598.ccls. or 73/600.ccls.) and (probe or transmitter or transducer) near3 mount\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:01
S12	451	73/622.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:01

S13	68	S12 and (mount\$4 or insert\$4) near3 (in or within)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:06
S14	13262	73/596-660.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:06
S15	85	S14 and (mount\$4 or insert\$4 or plac\$4 or put\$4) near6 (in or within) near5 (hole or pinhole or opening or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:19
S16	72	S15 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:10
S17	47	S14 and (mount\$4 or insert\$4 or plac\$4 or put\$4) near6 (in or within) near5 (bore)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:16
S18	174	S16 nopt S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:17
S19	69	S16 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:17
S20	44	S17 not S16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:17
S21	228	turbine same (mount\$4 or insert\$4 or plac\$4 or put\$4) near6 (in or within) near5 (hole or pinhole or opening or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:20
S22	12	S21 and (ultrasonic\$5 or ultrasound or sonic\$5 or acoustic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:47
S23	2	"6725722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:49
S24	1	"6065344".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:47
S25	1	"6019001".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:48
S26	1	"5623107".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:48

S27	1	"4757716".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:48
S28	1	"4577507".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:48
S29	1	"4229796".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:48
S30	1	"3960006".PN.	USPAT; USOCR	OR	ON	2005/01/19 12:49
S31	0	"6725722".uref,bi.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:49
S32	0	"6725722".uref,bi.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:49
S33	2	"6725722"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/19 12:50